

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/798,942	03/11/2004	Yang-En Wu	250122-1410	6903	
24504 7:	590 07/11/2005		EXAMINER		
THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP			CHIEN, LUCY P		
STE 1750	100 GALLERIA PARKWAY, NW STE 1750			PAPER NUMBER	
ATLANTA, GA	3A 30339-5948		2871		
			DATE MAILED: 07/11/2005	**	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application	No. A	pplicant(s)	(m)		
Office Assistant Commence	10/798,942	w	U ET AL.	(6.		
Office Action Summary	Examiner	Aı	rt Unit			
	Lucy P. Chie		371			
The MAILING DATE of this commun Period for Reply	ication appears on the c	over sheet with the corr	espondence add	iress		
A SHORTENED STATUTORY PERIOD F THE MAILING DATE OF THIS COMMUNI  - Extensions of time may be available under the provisions after SIX (6) MONTHS from the mailing date of this com  - If the period for reply specified above is less than thirty (3  - If NO period for reply is specified above, the maximum st  - Failure to reply within the set or extended period for reply Any reply received by the Office later than three months a earned patent term adjustment. See 37 CFR 1.704(b).	CATION. of 37 CFR 1.136(a). In no event nunication. 0) days, a reply within the statuto atutory period will apply and will will, by statute, cause the applica	, however, may a reply be timely for ry minimum of thirty (30) days will expire SIX (6) MONTHS from the re- tion to become ABANDONED (3	filed I be considered timely mailing date of this co			
Status						
1) Responsive to communication(s) file	ed on					
2a) ☐ This action is <b>FINAL</b> .	2b)⊠ This action is nor	n-final.				
3) Since this application is in condition closed in accordance with the practi	·	•		merits is		
Disposition of Claims						
4) ☐ Claim(s) 1-3 is/are pending in the ap 4a) Of the above claim(s) is/a 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-3 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restrict	re withdrawn from cons					
Application Papers						
9) The specification is objected to by th		_				
10)⊠ The drawing(s) filed on <u>11 March 2004</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any obje	• • •	•	• •	TD 4 404(4)		
Replacement drawing sheet(s) including 11) The oath or declaration is objected to						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim a) All b) Some * c) None of:  1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation * See the attached detailed Office action	documents have been documents have been of the priority documental Bureau (PCT Rule	received. received in Application ts have been received i 17.2(a)).	No	Stage		
Attachment(s)	·	» □•••••				
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (F3)</li> <li>Information Disclosure Statement(s) (PTO-1449 or Paper No(s)/Mail Date 3/11/2004.</li> </ol>	PTO/SB/08) 5		··	·-152)		

Application/Control Number: 10/798,942

Art Unit: 2871

#### **DETAILED ACTION**

Claim 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kubo et al (US 6295109) in view of Koyama et al (US 6801283).

## Regarding Claim 1 (lines 1-37):

Kubo et al discloses *in Figure 3*:

A first substrate (1)

A second substrate (2) A liquid crystal layer (5) disposed between the first (1) and second substrates (2).

A first polarization plate (6) arranged on the first substrate (6) and opposite to the liquid crystal layer (5)

A second polarization plate (9) arranged on the second substrate (2) and opposite to the liquid crystal layer (5)

A first half-wavelength ( $\lambda$ /2) plate (11) arranged between the first polarization plate (6) and the liquid crystal layer (5)

A first quarter wavelength ( $\lambda$ /4) plate (7) arranged between the first half-wavelength plate (11) and the liquid crystal layer (5)

A first alignment film (Column 30, rows 18-27) arranged between the first quarter wavelength plate (7) and the liquid crystal layer (5)

A second half-wavelength ( $\lambda$ /2) plate (12) arranged between the second polarization plate (9) and the liquid crystal layer (5)

A second quarter wavelength ( $\lambda$ /4) plate (10) arranged between the second half-wavelength plate (12) and the liquid crystal layer (5)

Application/Control Number: 10/798,942

Art Unit: 2871

A second alignment film (Column 30, rows 18-27) arranged between the second quarter wavelength plate (10) and the liquid crystal layer (5)

A reflective electrode (3) and a transparent electrode (8) arranged in-plane between the second alignment film (Column 30, rows 18-27) and second substrate (2)

And a backlight (Column 1, rows 26-29) arranged on a surface of the second polarization plate and opposite to the second substrate (2) to complete a LCD structure.

### Regarding Claim 1 (line 52-63)

Wherein

Kubo et al also discloses (Shown in Figure 18C and 18D):

An angle between the transmissive axis of the second polarization plate (9) and a retardation axis of the second half-wavelength ( $\lambda$ 2) plate (12) is 15° from the polarization plate (9), which is between -30° to 20°.

An angle between the retardation axis of the first half-wavelength ( $\lambda$ /2) plate (11) and a retardation axis of the first quarter wavelength ( $\lambda$ /4) plate (7) is 45° degrees that is between 30° to 100°.

An angle between the retardation axis of the second half-wavelength ( $\lambda$ 2) plate (12) and a retardation axis of the second quarter wavelength ( $\lambda$ 4) plate (10) is 45°, that is between 30° to 80°.

The light entering gets twisted by the liquid crystal then depending on the given angle of the other layers, leaves at a desired angle set by these specific angles as claimed.

Art Unit: 2871

## Regarding Claim 1 (line 38-41)

Kubo et al does not disclose the twist angle of the liquid crystal is 40-80 degrees and the retardation of the liquid crystal is 200 to 300 nm.

Koyama et al disclose a twist angle of 77 degree, which is in the range of 40-80 degree so the reflectivity is less than 10% with respect to the twist at 70 degrees. (Column 11, Row 42-53) And the retardation of the liquid crystal in the reflective region is 167nm and in the transmissive region it is 288 nm, which is in the range of 200-300 nm as claimed. (Column 14, Row 20-25)

It would have been obvious to one of ordinary skill in the art, at the time of the invention to combine Kubo et al's arranged layers to include Koyama et al's twist angle to lessen the refelectivity. (Column 11, Row 42-53)

## Regarding Claim 1 (line 42-51)

In addition to Kubo et al and Koyama et al as disclosed above,

Koyama et al discloses in Figure 2 (Column 14, Row 1-30) the rubbing direction of the first alignment film (21b) and the first polarization plate (which is 100 degrees)(4) The degree as shown is between –20° to 80°. The rubbing direction of the second alignment film (21a) and the second polarization plate (1) is about zero degrees as shown in Figure 2, which is between -20° to 20°. The angle between the first polarization plate (4) and the first half wavelength plate (5) is 68 degrees which is between 60-110 degrees. The angle between the second polarization (1) plate and second half wavelength plate (2) is 11 degrees which is between –30 to 20 degrees.

Application/Control Number: 10/798,942

Art Unit: 2871

Regarding Claim 2: In addition to Kubo et al and Koyama et al as disclosed above, Kubo et al further discloses (Column 28, Row 33-40) A retardation of the first half-wavelength (λ/2) plates (11) is 270nm that is between 220nm to 280 nm disclosed.

**Regarding Claim 3:** In addition to Kubo et al and Koyama et al as disclosed above, Kubo et al further discloses (Column 27, rows 54-57) A retardation of the second quarter wavelength ( $\lambda$ /4) plate (10) is 140nm that is between 110nm to 150nm.

Page 5

Art Unit: 2871

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lucy P. Chien whose telephone number is 571-272-8579. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571)272-2293. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lucy Chien Examiner Art Unit 2871 LC DUNGT. NGUYEN PRIMARY EXAMINER Page 6